

AllTop turf
solutions that help

Guangzhou **AllTop** Turf Co.,Ltd

What we offer are not products but solutions



Contents



 Company profile

 Production process

 Production equipment

 Products Series

 Technical support

 Reference projects

Company Profile



Guangzhou AllTop Turf company is set up to be dedicated to providing good quality products, researching and developing top quality sports fields for kids playground, teenagers and adult football players including the amateur and professional. AllTop turf is also offering professional installation service and maintenance guidance for sports fields.

Our artificial grass production base has an area up to 40,000 square meters, equipped with tens of advanced production equipment including grass yarn extrusion equipment, tufting machines, coating machine, we are able to offer multiple specifications such as width 4m and 5m, grass height from 8mm to 70mm, latex coating and PU coating.

Offering solutions that help is the mission of AllTop turf, so AllTop turf focuses on studying the whole system of the fields and is good at it, not only at the part or the single products as other factories do, this makes AllTop turf different from other companies in this industry. AllTop turf provides artificial grass surface products and a whole piece of professional plan for sports clubs, schools, stadiums and private sports fields where are built with football fields, soccer fields, tennis courts, basketball fields, hockey fields, volleyball courts, rugby fields, MUGAs(Multi Use Games Areas), and also provides for home recreation such as garden, kids playground, back yard, and commercial use such as public areas, shop decoration, rooftop decoration, municipal greening projects etc.

To obtain the high performance products, we work together with the world famous laboratories such as Labosport, Lisasport, and we also work with world famous grass material supplier Mattex. The products have met the highest level--standards of FIFA.

All we do is for offering high-performing surface to your sports ground, to meet your high expectations.




AllTop turf

solutions that help



Who we are?



Company culture

to be the world leading
solutions supplier of
sports surface

our
vision

our
mission

to supply competitive
and helpful solutions to
clients

to make products and
service better, to make
clients satisfactory

our
goal

our
philosophy

honest, proffesional,
thoughtful, helpful

Production process of artificial grass



producing yarns



plying yarn



tufting



rolling up



punching drainage holes



coating backing



Yarn extrusion equipment




Yarn plying equipment



Tufting machine



Backing coating machine



AllTop turf

solutions that help

Sports grass



AllTop turf

solutions that help

Landscape grass



Sports grass



Wave130-60/140

Pile height: 60mm

Material: PE 13000Dtex

Density: 8820 tufts/sqm

Color: dark green/light green

Backing: PP+net+latex



Characteristics:

- Excellent upright performance
- Good anti-slip performance
- Good resilience

Applications:

- Professional football fields
- Clubs soccer fields
- College/university football fields
- Rugby fields
- MUGA, baseball field
- Playgrounds etc



Wave130-50/130

Pile height: 50mm
Material: PE 13000Dtex
Density: 8190 tufts/sqm
Color: dark green/light green
Backing: PP+net+latex

Characteristics:

- Excellent upright performance
- Good anti-slip performance
- Good resilience

Applications:

- Clubs soccer fields
- College/university football fields
- MUGA, baseball field
- Playgrounds etc



Diamond120-50/140

Pile height: 50mm

Material: PE 12000Dtex

Density: 8820 tufts/sqm

Color: dark green/light green

Backing: PP+net+Latex

Characteristics:

- Excellent anti-tear&wear performance
- Good upright performance
- Good resilience

Applications:

- Professional football fields
- Clubs soccer fields
- College/university football fields
- MUGA
- Playgrounds etc



Spine120-50/140

Pile height: 50mm

Material: PE 12000Dtex

Density: 8820 tufts/sqm

Color: dark green/oliver green


Backing: PP+net+latex

Characteristics:

- Excellent anti-tear&wear performance
- Good upright performance
- Good resilience

Applications:

- Professional football fields
- Clubs soccer fields
- College/university football fields
- MUGA
- Playgrounds etc



Spine88-50/140

Pile height: 50mm

Material: PE 8800Dtex

Density: 8820 tufts/sqm

Color: dark green/light green


Backing: PP+net+latex

Characteristics:

- Excellent upright performance
- Good anti-slip performance
- Good resilience

Applications:

- Clubs soccer fields
- College/university football fields
- MUGA
- Playgrounds etc



Spine110-50/140

Pile height: 50mm

Material: PE11000Dtex

Density: 8820 tufts/sqm

Color: dark green/light green

Backing: PP+net+latex

Characteristics:

- Excellent upright performance
- Good anti-slip performance
- Good resilience

Applications:

- Clubs soccer fields
- College/university football fields
- MUGA
- Playgrounds etc



Spine120-50/140

Pile height: 50mm

Material: PE 12000Dtex

Density: 8820 tufts/sqm

Color: dark green/light green

Backing: PP+net+latex



Characteristics:

- Excellent upright performance
- Good anti-slip performance
- Good resilience

Applications:

- Baseball field
- Professional football field
- Clubs soccer fields
- College/university football fields
- MUGA
- Playgrounds etc

Sports grass



Flat110-50/140

Pile height: 50mm

Material: PE11000Dtex

Density: 8820 tufts/sqm

Color: dark green/light green

Backing: PP+net+Latex

Characteristics:

- Soft and comfortable feel
- Good looking
- Good resilience

Applications:

- Clubs soccer fields
- College/university football fields
- School fields
- Playgrounds etc



Fib 66-25/200


Pile height: 25mm
Material: PE 6600Dtex
Density: 21000 tufts/sqm
Color: Red/dark green
Backing: PP+net+latex

Characteristics:

- Soft and comfortable feel
- Good looking
- Good resilience
- Economical

Applications:

- Running track and tennis court
- MUGA
- College/university football fields
- School fields
- Playgrounds etc





Fib 66-15/200



Pile height: 15mm
Material: PE 6600Dtex
Density: 21000 tufts/sqm
Color: Red/dark green
Backing: PP+net+Latex

Characteristic:

- Fibrillated(slit film) structure
- Good looking
- Good resilience
- Economical

Applications:

- Basketball field
- Running track
- MUGA
- College/university football fields
- School fields
- Playgrounds etc



Wave180-40/150

Multi-
use

Pile height: 40mm
Material: PE&PP18000Dtex
Density: 15750 tufts/sqm
Color: 4 colors
Backing: PP+fleece+latex

Characteristics:

- Straight yarn wave structure
- Excelent upright performance
- Good resilience
- Natural looking

Applications:

- Garden, backyard, greening decoration.
- Football/soccer field, MUGA, Playgrounds and other sports applications



S140-30/140

*Multi-
use*

Pile height: 30mm
Material: PE&PP14000Dtex
Density: 14700 tufts/sqm
Color: 4 colors
Backing: PP+fleece+latex

Characteristics:

- Straight yarn S shape structure
- Excelent upright performance
- Good resilience
- Natural looking

Applications:

- Garden, backyard, greening decoration.
- Football/soccer field, MUGA, Playgrounds and other sports applications



Diamond110/1-30/150

*Multi-
use*

Pile height: 30mm

Material: PE&PP11000Dtex

Density: 15750 tufts/sqm

Color: 4 colors(straight field green&lemon green)

Backing: PP+fleece+latex

Characteristics:

- Straight yarn diamond shape structure
- Excellent upright performance
- Good resilience
- Natural looking

Applications:

- Garden, backyard, greening decoration.
- Football/soccer field, MUGA, Playgrounds and other sports applications



Diamond110/1-25/150

*Multi-
use*

Pile height: 25mm

Material: PE&PP11000Dtex

Density: 15750 tufts/sqm

Color: 4 colors(straight field green&lemon green)

Backing: PP+fleece+latex

Characteristics:

- Straight yarn diamond shape structure
- Excellent upright performance
- Good resilience
- Natural looking

Applications:

- Garden, backyard, greening decoration.
- Football/soccer field, MUGA, Playgrounds and other sports applications



Diamond110/2-30/150

*Multi-
use*

Pile height: 30mm

Material: PE&PP11000Dtex

Density: 15750 tufts/sqm

Color: 4 colors(straight field green&olive green)

Backing: PP+fleece+latex

Characteristics:

- Straight yarn diamond shape structure
- Excellent upright performance
- Good resilience
- Natural looking

Applications:

- Garden, backyard, greening decoration.
- Football/soccer field, MUGA, Playgrounds and other sports applications



Diamond110/2-25/140

Multi-
use

Pile height: 25mm

Material: PE&PP11000Dtex

Density: 14700 tufts/sqm

Color: 4 colors(straight field green&olive green)

Backing: PP+fleece+latex

Characteristics:

- Straight yarn diamond shape structure
- Excellent upright performance
- Good resilience
- Natural looking

Applications:

- Garden, backyard, greening decoration.
- Football/soccer field, MUGA, Playgrounds and other sports applications



*Multi-
use*

Flat110-30/160

Pile height: 30mm

Material: PE&PP11000Dtex

Density: 16800 tufts/sqm

Color: 4 colors

Backing: PP+fleece+latex

Characteristic:

- Soft flat structure
- Good upright performance
- Good resilience
- Natural looking(spring&summer green)

Applications:

- Garden, backyard, greening decoration.
- Playgrounds



*Multi-
use*

Flat80-35/140

Pile height: 35mm

Material: PE&PP8000Dtex

Density: 14700 tufts/sqm

Color: 3 colors

Backing: PP+fleece+latex

Characteristics:

- Soft flat structure
- Good upright performance
- Good resilience
- Natural looking (spring & summer green)

Applications:

- Garden, backyard, greening decoration.
- Playgrounds



*Multi-
use*

M95-25/140

Pile height: 25mm

Material: PE&PP9500Dtex

Density: 14700 tufts/sqm

Color: 3 colors

Backing: PP+fleece+latex

Characteristics:

- Soft W shape structure
- Good upright performance
- Good resilience
- Natural looking(spring&summer green)

Applications:

- Garden, backyard, greening decoration.
- Playgrounds



*Multi-
use*

Spine100-30/160

Pile height: 30mm

Material: PE&PP10000Dtex

Density: 16800 tufts/sqm

Color: 3 colors

Backing: PP+fleece+latex

Characteristics:

- Straight yarn spine shaped structure
- Good upright performance
- Good resilience
- Natural looking(spring&summer green)

Applications:

- Garden, backyard, greening decoration.
- Playgrounds



*Multi-
use*

Spine100-25/140

Pile height: 25mm

Material: PE&PP10000Dtex

Density: 14700 tufts/sqm

Color: 3 colors

Backing: PP+fleece+latex

Characteristics:

- Straight yarn spine shaped structure
- Good upright performance
- Good resilience
- Natural looking(spring&summer green)

Applications:

- Garden, backyard, greening decoration.
- Playgrounds



*Multi-
use*

Rainbow110-25/140

Pile height: 25mm

Material: PE&PP1100Dtex

Density: 14700 tufts/sqm

Color: 4 kinds of colors

Backing: PP+fleece+latex

Characteristics:

- Straight yarn spine shaped structure
- Good upright performance
- Good resilience
- Natural looking(spring&summer green)

Applications:

- Garden, backyard, greening decoration.
- Playgrounds



PP66-15/250



Pile height: 15mm
Material: PP6600Dtex
Density: 63000 tufts/sqm
Color: 2 colors
Backing: PP+fleece+latex

Characteristics:

- Curly yarn structure
- Flat surface, non-directional ball rolling
- Good resilience
- Natural looking

Applications:


- Golf green
- Garden, backyard, greening decoration.
- Playgrounds

Accessories

Rubber granules



Self-stick seam tape



Water permeable geotextile



Shockpad



AllTop turf

solutions that help

Instal.&Maint. equipment

Auto brush mahine



Installation tools



Petrol driven brush machine



Sand&ruber carry trolley




Mini brush machine



Carry brush mahine



Drag brush mat



Football field facilities


Goals



Perimeter net



Soft net



LED light



Corner flag





Cone



Technical support

As a solutions supplier, technical support is one of the main service of AllTop Turf company, support includes pre-installation design, at-site installation guide and maintenance guide. Our team has plenty overseas installation guide experience, what you need to do is to trust on us. you will get patient and helpful response if you have any questions for us.



Reference projects



Reference projects





Guangzhou AllTop Turf Co., Ltd

Address: No 6. of Xinrui Road, Huangpu District, Guangzhou, China 510663

Tel: 0086-20-6231 6790, 0086-20-6231 6791 Fax: 0086-20-6231 6792

E-mail: info@alltopturf.com, alltopfield@163.com

Website: www.alltopturf.com